

FULLSTEEL AND TUBULAR SHAFT TOOLS

PRODUCT OVERVIEW

DER HAMMER. SEIT 1857



CONTENT

Quality by PICARD	04
Master Range	06
Master Hammers	10
BlackGiant	12
Standard Series	14
Problem Solvers	16
Gift Boxes	18
Counter Displays	20
Comparison table	22

PICARD ONLINE

Get the latest news and information at www.picard-hammer.de and on Facebook.





MEANING OF ICONS



QUALITY BY PICARD: EXPERIENCE AND PERFECTION MADE IN GERMANY

Craftsmen who use their tools day in, day out know what it's all about: uncompromising quality thanks to high-quality materials and precise workmanship for absolute robustness and safe, fatigue-free working. PICARD hammers stand for precisely that. The numerous different applications of our products demand specific designs and shapes and precisely matched material properties. We achieve this through innovative manufacturing and testing methods, coupled with production steps that even today still have a handmade feel to them. At least as important, however, is the comprehensive and long-standing know-how of our employees, who know exactly how our customers tick and what demands they place on their tools. It's therefore not without reason that the majority of our customers live by the maxim "Once a PICARD, always a PICARD!"



MASTER RANGE: FINEST FOR GRAFTERS





Light

790 Carpenters' Roofing Hammer

😂 🗘 🗌 🖾 🖣 🚰 🚆	S	53		\bigotimes	Ą	Ğ	
---------------	---	----	--	--------------	---	---	--



761, 7611/2

S 🕄 [

Geologists' Hammer

With point or blade.

797 Tilers' Hatchet Also useful for camping and hobby.





590 Carpenters' Roofing Hammer







8 _ 🖾 🖗



Carpenters' Roofing Hammer



791 **Claw Hammer** 13, 16, 20 or 24 oz.





207 **Tilers' Hammer** Various weights and sizes, for left or right handers. Also available with chrome or gold plated finish





591 **Claw Hammer** 16, 20 or 24 oz.

\$



561, 5611/2 Geologists' Hammer With point or blade.





Forged using alloyed, hardened, special steel and given a smooth finish. The nail holder on the carpenters' roofing hammer has an extremely strong magnet

02_Claw and point

The claw and the slim, extended point on the carpenters' roofing hammer are precisely wrought and inductively hardened. Even small nails are securely caught..

03_Face

The face is carefully hardened and specially tempered; the roughened version has particularly deep checks. Also available with a plain face

04_Shaft

The construction of the forged, weight-optimised shaft provides perfect balance and supreme impact. Its carefully cut surface blends smoothly into the grip.

05_Handle

The leather grip on the solid stee handle is resistant to twisting. It not only looks good, leather absorbs moisture and releases it again once the work is done. The surface is extremely wearresistant.

The two-component plastic handle (no image available) is ergonomically optimised and designed to be vibration-damping. It makes work effortless and is extremely durable thanks to the solid join between the shaft and handle, and the robust base plate.




PICARD MASTER RANGE

PICARD steel hammers are true masterpieces among tools. Supreme-quality materials result in a product that can cope with the very highest demands. As solid steel hammers, they deliver maximum force – for greater efficiency with every single stroke. The grips are either made of the finest, untreated core leather or from two-component plastic material. Uncompromising tools that delight at first glance and continue to impress users every time they are picked up – and are also admired by those who are merely able to look on.



MASTER RANGE RIP AND FRAMING HAMMERS: LENGTH WORKS



Forged with alloyed, hardened, special steel and given a smooth finish.

02_Claw

A straight rip claw on both sides for greater stability when prying and pulling nails Nail holder with an extremely strong magnet

03_Face

Carefully hardened and specially tempered round face. Available with checked or plain face. Checked version with particularly deep checks.

04_Shaft

Two lengths available. Forged and weight-optimised shaft for perfect balance and maximum impact. The shaft turns smoothly into the grip. Great impact momentum and ease at reaching tough spots. Ideal for long or thick nails and for prying nailed wood apart.

05_Leather handle

The leather grip on the solid stee handle is resistant to twisting. It not only looks good, leather absorbs moisture and releases it again once the work is done. The surface is extremely wearresistant. The two-component plastic handle (no image available) is ergonomically optimised and designed to be vibrationdamping. It makes work effortless and is extremely durable thanks to the solid join between the shaft and handle, and the robust base plate.


06_Grip cap Protects from slippin

FRAMING HAMMERS

PICARD MASTER RANGE RIP- AND

Working efficiently means being able to hit hard to reach spots with a hammer. Therefore the old rule applies: Length works. The rip and framing hammers from PICARD originated where wood frame construction has a long tradition: in America. The long shaft gives these hammers considerably greater impact momentum. This pays off especially when working with long or thick nails. It's also useful in demolition work, for when the going gets tough, a hammer often has to do the job of a crowbar. The extra-long shafts of the rip hammers give even greater leverage force when prying nailed wood apart. PICARD also equips the rip and framing hammers with a claw on both sides and manufactures them as solid steel tools with a real leather or two-component handle. For maximum durability and application safety.





MASTER HAMMERS: **ROBUST CLASSICS**





698 Carpenters' Roofing Hammer





Carpenters' Roofing Hammer





298e Carpenters' Roofing Hammer Chrome or gold plated finish



292 **Claw Hammer** Amerian Pattern, 25 or 27 mm face diameter, 16 or 20 oz.

 $\bigotimes \mathbf{\hat{p}}$

Forged using alloyed, hardened, special steel and given a smooth finish. The extended tubular shaft holding fixture provides additional protection when striking and is more stable when levering. The nail holder on the carpenters' roofing hammer has an extremely strong magnet. Optionally available with an additional locking pin, and a two-component handle.

02_Claw and point

The claw and the slim, extended point on the carpenters' roofing hammer are precisely wrought and inductively hardened. Even small nails are securely caught.

03_Protective ring

Mounted securely on the shaft, the hardened steel protective ring provides extra safety should the hammer not hit its target precisely.

04_Face

The face is carefully hardened and specially tempered; the roughened version has particularly deep checks. Also available with a plain face

05_Shaft

Extremely resilient shaft made from chrome molybdenum tube Especially tough and elastic. Additional hardening ensures particular toughness.

06_Handle

The traditional handwork handle. The handle and shaft are solidly bonded using a specially developed two-component industrial adhesive. A special construction ensures that the end of the shaft doesn't work its way through the handle. The vibration-damping material and ergonomic shape make work effortless. Also available with a black and brown twocomponent handle (no image available).



PICARD MASTER HAMMERS

The master hammers have everything it takes to be genuine classics. The best materials skilfully combined and joined to be bombproof: that's how a tool should be. Here, the latest technology meets classic handwork. A carefully shaped forged hammer head sits unshakably on a seamlessly wrought special steel tube. The handle, constructed by us from vibration-damping and non-slip plastic, ensures that these tools will remain securely in your hand, so that every time it is used, it will show what handwork really is.

BLACKGIANT: WHEN PARAMOUNT SAFETY COUNTS



820M Carpenters' Roofing Hammer



891 Claw Hammer Amercan Pattern, face diameter 25 or 27 mm, 16 or 20 oz.



Tilers' Hatchet

8 **6**5





875 Masons' Hammer Rhineland pattern





Masons' Hammer Berlin pattern



Forged using alloyed, hardened, special steel and given a smooth finish. The nail holder on the carpenters' roofing hammer has an extremely strong magnet.

02_Claw and point

The claw and the slim, extended point on the carpenters' roofing hammer are precisely wrought and inductively hardened. Even small nails are securely caught.

03_Protective ring

Mounted securely on the shaft, the hardened steel protective ring provides extra safety should the hammer not hit its target precisely.

04_Face

The face is carefully hardened and specially tempered; the roughened version has particularly deep checks. Also available with a plain face.

05_Inner pipe


The additional hardened inner pipe extends right up to the head. It protects the shaft from deformation even under extreme stress – for greater safety in critical work areas.

06_Shaft

Perfect safety provided by the additional inner pipe and interlocking join between head and shaft.

07_Handle

The vibration-damping twocomponent material and the ergonomic shape make work effortless. The handle and shaft are solidly bonded using a specially developed two-component industrial adhesive. A special construction ensures that the end of the shaft doesn't work its way through the handle.



PICARD BLACKGIANT

PICARD tubular shaft tools. It can't get any better? We were not satisfied with that, and as a result we came up with the BlackGiant series. In work situations where even greater safety is called for – on the roof or on scaffolding – is where it is at home. The cleanest finish on the head ensures that it can always be used safely, particularly in the most difficult situations. And when the going gets tough, the additional inner pipe provides a level of breaking resistance that exceeds all norms. The BlackGiant scores further points with its patented join between head and shaft, and the special orange handle, which guarantees the best grip, good damping and effortless work – every time it is picked up and struck, hour after hour, year after year.

STANDARD SERIES: BETTER THAN THE REST



600S, 620M Carpenters' Roofing Hammer 620M with, 620S without magnetic nail holder



291 Claw Hammer American pattern, 13 or 16 oz., face diameter 27 mm



297, 297½ (disontinued article) Tilers' Hatchet 500 or 600 g



275 Masons' Hammer Rhineland pattern





277, 277½ Masons' Hammer Berlin pattern, 500 or 600 g



361, 361½ Geologists' Hammer With point or blade, 300 or 500 g



× 3

301 Fitters' Hammer 300 or 500 g

Ğ



F

304 Mining Sledge 1000 or 1250 g





The hammer head is forged using alloyed, hardened special steel and painted black. The claw hammer is also available with a polished head. The nail holder has an extremely strong magnet.

02_Claw and point

The claw and the slim, extended point on the carpenters' roofing hammer are precisely wrought and inductively hardened. Even small nails are securely caught.

03_Face

Carefully hardened and specially tempered. The right bevel ensures a long lifespan.

04_Locking pin

When it comes to your safety, nothing is too expensive for us: instead of the usual, cheaper dowel pin, even on our standard series we use a hardened locking pin, which permanently joins the head to the shaft.

05_Protective ring

Mounted securely on the shaft, the hardened steel protective ring provides extra safety should the hammer not hit its target precisely.

06_Shaft

Seamlessly produced from C45 steel pipe and subsequently hardened and tempered.

07_Handle

Standard handles and shafts are solidly bonded using a specially developed two-component industrial adhesive. Here, too, a special construction ensures that the end of the shaft doesn't work its way through the handle.



PICARD STANDARD SERIES

Even PICARD tools in the standard series achieve a lifespan that others can only dream of. And for the users, the quality of the tool in everyday use is tangible and visible. Where many manufacturers stop, we begin. Thanks to an ergonomic and solid grip, daily work becomes a safe experience. The standard series has optimally formed hammer heads for every field of application, which are permanently joined to the shaft. Every time they are picked up, they demonstrate what is meant by PICARD quality.

PROBLEM SOLVERS: NVENTIVE SPIRIT MEETS TRADITION













3041/2 Chisel

Ideal for the simple chiselling of slots or chipping away plaster even in hard-to-reach places. There is no longer any need for cumbersome tool changes. Use it once and you won't want to part with it.











276 Toothed Tilers' Hammer

Toothed Tilers' Hatchet

The toothed edge causes less vibration on impact. It reduces the risk of slipping off and power is transferred effectively, because the teeth penetrate the material better on the first strike. The outcome is more precise results and effortless working that is gentle on the joints.

 \boxtimes



Forged using alloyed, hardened, special steel and given a smooth finish. The extended tubular shaft holding fixture provides additional protection when striking and is more stable when levering. The nail holder on the carpenters' roofing hammer has an extremely strong magnet.

02_Edges

Two sharp and tempered edges specially shaped for scarping away concrete residue.

03_Claw and point

The claw and the slim, extended point on the carpenters' roofing hammer are precisely wrought and inductively hardened. Even small nails are securely caught.

04_Protective ring

Mounted securely on the shaft, the hardened steel protective ring provides extra safety should the hammer not hit its target precisely.

05_Face

The face is carefully hardened and specially tempered.

06_Shaft

The face is carefully hardened and specially tempered. Especially tough and elastic. Additional hardening ensures particular toughness.

07_Handle

The handle and shaft are solidly bonded using a specially developed two-component industrial adhesive. A special construction ensures that the end of the shaft doesn't work its way through the handle. The vibration-damping material and ergonomic shape make work effortless.



PICARD PROBLEM SOLVERS

Among the problem solvers, problematic work processes have been analysed and constructively turned into new head shapes. The result is special tools that are capable of things that even experienced specialists barely thought were possible: no more slipping off from smooth surfaces, optimal traction even in difficult conditions – and all this without time-consuming tool changes. Only those who understand what handwork is all about can design such tools.

CONGRATULATIONS: PICARD GIFT BOXES

GIFT BOXES

H0079000 Carpenters' Roofing Hammer 790 Leather grip, plain face

H00790010 Carpenters' Roofing Hammer 790 Leather grip, checked face

H0079080 Carpenters' Roofing Hammer 790½ Leather grip, light, plain face

H0079090 Carpenters' Roofing Hammer 790½ Leather grip, light, checked face

H0079700 Tilers' Hatchet 797 Leather grip

H0029850

Carpenters' Roofing Hammer 298e Chrome-plated, magnetic nail holder, checked face

H0029860 Carpenters' Roofing Hammer 298e

Gold-plated, magnetic Nail holder, checked face

H0000152-0300

Rivetting Hammer 152 300 g, waxed and polished hickory shaft

0081100L

Gift Box Wooden, with PICARD logo, for carpenters' roofing hammers and engine-fitters' hammer 300 g

0081100

Gift Box Wooden, with PICARD logo for tilers' hatchet

S002020

Watchmakers' Anvil Chrome-plated, 400 g, in a black gift box

01

The steel carpenters' roofing nammers of the master range nave a grip made of genuine core eather and are available with plain and roughened face.

02

The tiler's hatchet of the Master Range Series is also ideal as a camping and hobby axe.

03


The tubular shaft carpenters' roofing hammers are available with chrome-plated or gilded finish and roughened face.

04

The gift version of the 300 gram engine-fitters' hammer is marked by its waxed and polished shaft made of hickory wood.

05

Another popular present is the small, 120 mm wide watchmakers' anvil with two horns.





GESCHENKVERPACKUNGEN

PICARD tools in the wooden gift box with burnt-in PICARD logo are perfect as presents. In addition to the standard versions, specially refined versions are also available, such as the carpenters' roofing hammer with gilded or chrome-plated finish or the engine-fitters' hammer with waxed and polished hickory handle. Ideal for anniversaries, birthdays, passed exams, as a festive and acquisition present and for many other occasions.

PICARD COUNTER DISPLAYS

MASTER RANGE WITH LEATHER GRIP

1079000 12 x Carpenters' Roofing Hammer 790 Plain Face

1079010 12 x Carpenters' Roofing Hammer 790 Checked face

1079080 12 x Carpenters' Roofing Hammer 790½ Light, plain face

1079090 12 x Carpenters' Roofing Hammer 790½ Light, checked face

1079100-16 12 x Claw Hammer 791 16 oz.

1076100-500 12 x Geologists' Hammer 761 With point

1079700 12 x Tilers' Hatchet 797 MASTER RANGE WITH TWO-COMPONENT GRIP

1059000 12 x Carpenters' Roofing Hammer 590 Plain face

1059010 12 x Carpenters' Roofing Hammer 590 Checked face

1059080 12 x Carpenters' Roofing Hammer 590½ Light, plain face

1059090 12 x Carpenters' Roofing Hammer 590½ Light, checked face

1059100-16 12 x Claw Hammer 591 16 oz.

1056100-500 12 x Geologists' Hammer 561 With point



MASTER HAMMERS

1069800 12 x Carpenters' Roofing Hammer 698 GS certificate, locking pin, magnetic nail holder, plain face

1069810 12 x Carpenters' Roofing Hammer 698 GS certificate, locking pin, magnetic nail holder, checked face

1029800 12 x Carpenters' Roofing Hammer 298 Magnetic nail holder, plain face

1029810 12 x Carpenters' Roofing Hammer 298 Magnetic nail holder, checked face

1029200-20 12 x Claw Hammer 292 20 oz.

BLACKGIANT

12 x Carpenters' Roofing Hammer 820M GS certificate, locking pin, magnetic nail holder, plain face

1082010 12 x Carpenters' Roofing Hammer 820M GS certificate, locking pin, magnetic nail holder, checked face

1089100-16 12 x Claw Hammer 891 16 oz.

1089700 12 x Tilers' Hatchet 897 GS certificate

1087500 12 x Masons' Hammer 875 GS certificate, Rhineland pattern

1087700 12 x Masons' Hammer 877 GS certificate, Berlin pattern



1060000 12 x Carpenters' Roofing Hammer 600S GS certificate, locking pin, without magnetic nail holder, plain face

1060010 12 x Carpenters' Roofing Hammer 600S GS certificate, locking pin, without magnetic nail holder, checked face

1062000 12 x Carpenters' Roofing Hammer 620M GS certificate, locking pin, magnetic nail holder, plain face

1062010 12 x Carpenters' Roofing Hammer 620M GS certificate, locking pin, magnetic nail holder, checked face

1036100-500 12 x Geologists' Hammer 361 With point

1029700 12 x Tilers' Hatchet 297 GS certificate

1029100-16 12 x Claw Hammer 291 16 oz.

1029300 12 x Claw Hammer 293 10 oz.

1027700 12 x Masons' Hammer 277 Berlin pattern

1027500 12 x Masons' Hammer 275 Rhineland pattern

PROBLEM SOLVERS

1030490-600 12 x Chisel 304½ 600 g

1065010 12 x Carpenters' Roofing Hammer 650 GS certificate

1029600 12 x Toothed Tilers' Hatchet 296

1027600 12 x Toothed Tilers' Hammer 276 Berlin pattern

1035000 12 x Special Hammer for waterworks 350



SERIES		ARTICLE	ТҮРЕ	
MASTER RANGE	5	790	Carpenters' Roofing Hammer	Full steel
		790½	Carpenters' Roofing Hammer, light	Full steel
	1	791	Claw Hammer	Full steel
	a la	795	Rip Hammer	Full steel
		796	Framing Hammer	Full steel
		761, 761½	Geologists' Hammer, point or blade	Full steel
		797	Tilers' Hatchet	Full steel
		207	Tilers' Hammer, for right or left handers	Full steel
		590	Carpenters' Roofing Hammer	Full steel
		590½	Carpenters' Roofing Hammer, light	Full steel
		591	Claw Hammer	Full steel
		595	Rip Hammer	Full steel
		596	Framing Hammer	Full steel
		561, 561½	Geologists' Hammer, point or blade	Full steel
MASTER HAMMERS	EV-	698	Carpenters' Roofing Hammer	Chrome molybdenum pipe
		298	Carpenters' Roofing Hammer	Chrome molybdenum pipe
		298e	Carpenters' Roofing Hammer, chrome or gold plated finish	Chrome molybdenum pipe
	1	292	Claw Hammer	Chrome molybdenum pipe
BLACKGIANT	-	820M	Carpenters' Roofing Hammer	C45 pipe + hardended inner pipe
		891	Claw Hammer	C45 pipe + hardended inner pipe
		897	Tilers' Hatchet	C45 pipe + hardended inner pipe
		875	Masons' Hammer, Rhineland pattern	C45 pipe + hardended inner pipe
		877	Masons' Hammer, Berlin pattern	C45 pipe + hardended inner pipe
STANDARD SERIES	-	620M	Carpenters' Roofing Hammer	C45 pipe
	I	600S	Carpenters' Roofing Hammer	C45 pipe
		291	Claw Hammer	C45 pipe
	l.	293	Claw Hammer	C45 pipe
		361, 361½	Geologists' Hammer, point or blade	C45 pipe
		297, 297½	Tilers' Hatchet	C45 pipe
		275	Masons' hammer, Rhineland pattern	C45 pipe
		277, 277½	Masons' hammer, Berlin pattern	C45 pipe
		301	Fitters' Hammer	C45 pipe
		304	Mining sledge	C45 pipe
PROBLEM SOLVERS	-	304½	Chisel	C45 pipe
		650	Carpenters' Roofing Hammer	Chrome molybdenum pipe
		350	Special Hammer for water-works	Chrome molybdenum pipe
		276	Toothed Tilers' Hammer	C45 pipe
		296	Toothed Tilers' Hatchet	C45 pipe



Leather

Leather

Leather

Leather

Leather

Leather

Leather

Leather

2C

2C

2C

2C

2C

2C

2C

2C



C

•


•

ß









2C	•	•	•	•	•	600 g
1C			•	•	•	600 g
1C			•	•		600 g
1C					•	16, 20oz.

2C	•	•	•	•	•	600 g	
2C					•	16, 20oz.	
2C	•			•		600g	
2C	•			•		600g	
2C	•			•		600g	
1C	•	•	•	•	•	600g	
1C	•	•		•	•	600g	
1C					•	13, 16oz.	
1C					•	10 oz.	

1C					•	300, 500 g
1C	•			•		500, 600g
1C	•			•		600 g
1C	•			•		600 g
1C	•				•	300,500g
1C	•				•	1000, 1250 g
2C					•	600, 800 g
2C	•	•	•	•		600 g
2C					•	500 g

٠

٠

600g

600g

PicProRohrEn

PICARD GmbH Rottsiepen 15 42349 Wuppertal

Postfach 12 01 29 42331 Wuppertal

Tel. +49 202 24754-0 Fax +49 202 24754-50 info@picard-hammer.de

PICARD-HAMMER.DE